




3.3KW PERSONAL AC CHARGER



DATA SHEET

3.3KW PERSONAL AC CHARGER

Compact



It occupy less storage space

Connector




Type 2 Connector with user friendly charging experience

Portability



Easy to carry and lightweight

Usage



Just Plug, Charge and Go

Versatility



This charger can use anywhere at anytime



AC NOMINAL INPUT

Input Voltage	230V $\pm 10\%$
Input Current	16A Max
Frequency	50 HZ $\pm 5\%$
Input Power	3.3 kW



AC NOMINAL OUTPUT

Output Voltage	230V $\pm 10\%$
Output Current	16A Max
Over Current	20A Max
Output Power	3.3 kW



USER INTERFACE

Support Language	English
Charging Option	Grid responsive metering with 1%
Visual Indication	Presence of input supply, Error indicator, State of charge
User Authentication	WIFI Connectivity
Safety Parameters	Over current, Over Voltage, Under Voltage, Surge Protection, Ground Fault, Over Temperature, Leakage Current Deduction
EVSE to EVCC	IEC61851 - 1 Annex A
EVSE to CMS	Wi-fi / OCPP v1.6j
Ingress Protection	IP 56
Weight	1 kg / Approx
Chargeable Devices	EV Bikes, Three wheelers, EV Cars
Connectivity	WIFI Direct charge
Altitude	Upto 2000 meters
Humidity	5% to 95 % Non condensate
Storage Temperature	-20C to 80C